## IN THE CLAIMS:

The text of all pending claims, (including withdrawn claims) is set forth below. Cancelled and not entered claims are indicated with claim number and status only. The claims as listed below show added text with <u>underlining</u> and deleted text with <u>strikethrough</u>. The status of each claim is indicated with one of (original), (currently amended), (cancelled), (withdrawn), (new), (previously presented), or (not entered).

Please AMEND claims 1, 9, and 17-19 in accordance with the following:

1. (Currently Amended) An apparatus that displays browser graphics, comprising:

a-browser-graphic-storage-unit, which-stores-browser-graphics-of-different-aspect-ratiosaccording to the aspect ratios;

an initialization file storage unit, which stores an initialization file including predetermined aspect ratio information;

an aspect ratio information extractor, which extracts the aspect ratio information from the initialization file stored in the initialization file storage unit;

a browser graphic selector, which selects the <u>a</u> browser graphic, which that corresponds to the aspect ratio extracted by the aspect ratio information extractor, from <u>among</u> the browser graphics of different aspect ratios stored in the browser graphic storage unit; and

a browser graphic display unit, which displays the browser graphic selected by the browser graphic selector.

- 2. (Original) The apparatus of claim 1, further comprising a browser unit browsing predetermined interactive contents markup documents as interactive contents to reproduce the interactive contents, and wherein the initialization file includes information regarding a reproduction environment of the interactive contents.
- 3. (Original) The apparatus of claim 2, further comprising a reproducing command receiver that receives a command for reproducing the interactive contents from a user,

wherein when the reproducing command is received by the reproducing command receiver, the aspect ratio information extractor extracts the aspect ratio information from the stored initialization file before the interactive contents are reproduced.

4. (Original) The apparatus of claim 2, wherein the initialization file is a markup document.

- 5. (Original) The apparatus of claim 4, wherein the markup document includes the aspect ratio information in one of a meta tag form, a newly defined tag form, a newly defined attribute form, or a script form, according to a markup language.
- 6. (Original) The apparatus of claim 2, wherein the initialization file includes a default aspect ratio, which is set by a producer of the interactive contents.
- 7. (Original) The apparatus of claim 1, further comprising:

  an aspect ratio information receiver, which receives the aspect ratio information from a user; and

an initialization file creator, which creates the initialization file including the aspect ratio information received by the aspect ratio information receiver,

wherein the initialization file storage unit stores the initialization file created by the initialization file creator.

8. (Original) The apparatus of claim 2, further comprising:

an aspect ratio information receiver, which receives the aspect ratio information by a plug-and-play method from a display device which will display the interactive contents; and

an initialization file creator, which creates the initialization file including the aspect ratio information received by the aspect ratio information receiver,

wherein the initialization file storage unit stores the initialization file created by the initialization file creator.

9. (Currently Amended) A method of displaying browser graphics comprising: storing browser graphics with different aspect ratios according to the aspect ratios; storing an initialization file including predetermined aspect ratio information; extracting the aspect ratio information from the initialization file;

selecting a browser graphic corresponding to the extracted aspect ratio <u>from among the</u> <u>stored browser graphics</u>; and

displaying the selected browser graphic.

10. (Original) The method of claim 9, further comprising: browsing predetermined interactive contents markup documents as interactive contents

to reproduce the interactive contents; and

storing in the initialization file information regarding a reproduction environment of the interactive contents.

- 11. (Original) The method of claim 10, further comprising: receiving a command for reproducing the interactive contents from a user, wherein when the reproducing command is received, the extracting of the aspect ratio information occurs before the interactive contents are reproduced.
- ————12. (Original)—The method-of-claim-10, wherein-the initialization-file-is-a markup-document.
- 13. (Original) The method of claim 12, wherein the markup document includes the aspect ratio information in one of a meta tag form, a newly defined tag form, a newly defined attribute form, or a script form, according to a markup language.
- 14. (Original) The method of claim 10, wherein the initialization file includes default aspect ratio information set by an interactive contents producer.
  - 15. (Original) The method of claim 9, further comprising: receiving the aspect ratio information from a user; creating the initialization file including the received aspect ratio information; and storing the created initialization file.
- 16. (Original) The method of claim 10, further comprising: receiving the aspect ratio information by a plug-and-play method from a display device which will display the interactive contents;
  - creating the initialization file including the received aspect ratio information; and storing the created initialization file.
- 17. (Currently Amended) A computer-readable recording medium having a program for performing a method of displaying browser graphics by aspect ratios in a computer, the method comprising:

storing browser graphics with different aspect ratios according to their aspect ratios;

Application No. 10/785,001

storing an initialization file including predetermined aspect ratio information;
extracting the aspect ratio information from the initialization file;
selecting a browser graphic corresponding to the extracted aspect ratio <u>from among the</u>
stored <u>browser graphics</u>; and

displaying the selected browser graphic.

18. (Currently Amended) A method, comprising:

shapely displaying a browser graphic of a browser by selecting the browser graphic from among a plurality of browser graphics having different display aspect ratios, such that a display aspect ratio of the browser graphic according corresponds to a display device type displaying the browser graphic.

19. (Currently Amended) An interactive digital video disc controlling a reproduction device, the disc comprising:

multimedia data;

interactive contents markup documents related to the multimedia data; and browser graphic aspect ratio information to control a selection of a browser graphic, corresponding to the browser graphic aspect ratio information, from among a plurality of browser graphics, having different aspect ratios, of a browser browsing the interactive contents to reproduce the interactive contents.